Simpang 69-18, Jalan E-Kerajaan, Gadong BE1110, Brunei Darussalam

Department/References: EGNC/PM/4.2/2017.039 (Tel) 2424955 (Fax) 2424940 (Email) procurement@egc.gov.bn

Item	Description	Unit	Qty	Please sp	pecify contents of the proposed item/sectotion	Unit Price (BND)	Total Cost (BND)	Department / References
A1.	CCTV PTZ CONTROLLER AND PTZ COVER							
A1.1	PTZ NETWORK KEYBOARD  The Network joystick shall be compatible with DVR/DVS, matrix, network camera/dome, PC-DVR, etc. It shall be capable of providing live view and playback of video on onboard touch screen at up to 1080p resolution.	Unit	1	y/n				Contact Person: Dyg. Samiah
	Specification:							2424955
	<ul> <li>Control mode:   IP-based</li> <li>Screen:   7" TFT LCD monitor with touch panel</li> <li>Resolution:   Resolution: 800 × 480</li> <li>Joystick:   4-axis joystick</li> <li>Audio Input/output</li> <li>Line In:   1-ch, 3.5 mm connector (2.0 Vp-p, 1 kΩ)</li> <li>Audio Out:   1-ch, 3.5 mm connector (Linear, 560 Ω)</li> <li>Network Interface:   1 10M/100M/1000M Ethernet interface</li> <li>RS-232 Interface:   1, RS-232 interface</li> <li>RS-485 Interface:   1, RS-485 interface</li> <li>USB Interface:   1, USB2.0 (for data storage and device upgrade)</li> <li>Complete installation, configuration, testing and hands on</li> </ul>			y/n y/n				
	with the existing systems [currently is using keyboard].		_	y/11				
A1.2	To replace the existing PTZ dome covers.	Units	6	y/n				
A2	ARM BARRIER SYSTEM							
A2.1	To make good the arm barrier system and to integrate with LPR system. the contractor shall provide a manhole cover located adjacent to the guard house and which shall be capable of withstanding great loads.	Lot	1	y/n				
А3	ADDITIONAL ACCESS CONTROL UNIT ACU							
A3.1	Installation and configuration of additional ACU controller inclusive of RFID reader located at the fire exist point and shall be armed and disarmed at the central command centre	Lot	1	y/n				

Simpang 69-18, Jalan E-Kerajaan, Gadong BE1110, Brunei Darussalam

Department/References: EGNC/PM/4.2/2017.039 (Tel) 2424955 (Fax) 2424940 (Email) procurement@egc.gov.bn

Item	Description	Unit	Qty	Please sp	pecify contents of the proposed item/sectotion	Unit Price (BND)	Total Cost (BND)	Department / References
A3.2	Installation and configuration of Electromagnetic lock attach to emergency exit at rear, system is armed/disarmed at central station	Lot	1	y/n				
A3.3	Installation and configuration of Break Glass	Unit	1	y/n				
A3.4	Network Cabling	Lot	1	y/n				
OPTIO	N							
A4	CAMERA IPPOE 2MP ANALYTICS WITH ACCESORIES							
A4.1	CCTV CAMERA IPPOE 2MP	Unit	1					
	<b>Area 1:</b> Camera shall be fixed to cover perimeter fencing at the rear of the building.							
	The camera shall serve the function of detecting people, and objects crossing a pre-defined area. The line crossing direction can be set as bidirectional, from left to right or from right to left.			y/n				
	Specification:							
	Illuminated infrared range of up to 80m							
	<ul> <li>Optimum IR illumination with Smart LEDs, preventing overexposure.</li> </ul>							
	Captures 2MP video footage (at 20 fps).							
	<ul> <li>Motorized varifocal lens assists with accurate focusing during installation.</li> </ul>							
	<ul> <li>Infrared-cut filter to switch between day/night modes.</li> </ul>			u/n				
	WDR with 3D noise reduction functionality.			y/n				
	<ul> <li>Advanced Smart features including Video Quality Diagnosis and face detection</li> </ul>							
	<ul> <li>Video motion detection, defocus detection, line crossing detection and tampering alert.</li> </ul>							
	On-board recording to MicroSD card 8gb class 10.							
	• installation using PoE.							

Simpang 69-18, Jalan E-Kerajaan, Gadong BE1110, Brunei Darussalam

Department/References: EGNC/PM/4.2/2017.039 (Tel) 2424955 (Fax) 2424940 (Email) procurement@egc.gov.bn

Item	Description	Unit	Qty	Please sp	pecify contents of the proposed item/sectotion	Unit Price (BND)	Total Cost (BND)	Department / References
A4.2	CCTV CAMERA IPPOE 2MP  Area 2: The IPPOE CCTV camera shall be installed at the	Unit	1					
	main guard house to cover people entering data in the log book. It shall provide a clear image without obstruction from infiltration of light entering the cameras. Its complete responsibility of the contractor to provide as per client's requirements.			y/n				
	Specification:							
	• 2048 x 1536 Video Resolution at 20 fps							
	IR LEDs for Up to 100' of Night Vision							
	90° Maximum Field of View							
	microSD Slot Supports Up to 128GB  True Day (Nicht with IR Cot Filter)			y/n				
	<ul><li>True Day/Night with IR Cut Filter</li><li>H.264 and MJPEG Compression</li></ul>							
	IP66- and IK10-Rated for Outdoor Use							
A4.3	<b>Area 2:</b> The CCTV camera shall be installed at the main lobby area for identification of persons entering the building. The camera shall be completely configured and integrated within the existing CCTV system to provide complete functionality as per client's instructions.	Unit	1	y/n				
	Specification:							
	• 2048 x 1536 Video Resolution at 20 fps							
	• IR LEDs for Up to 100' of Night Vision							
	• 90° Maximum Field of View							
	microSD Slot Supports Up to 128GB  To Double to the State State  To Double the State			y/n				
	<ul><li>True Day/Night with IR Cut Filter</li><li>H.264 and MJPEG Compression</li></ul>							
	IP66 – and IK10 – Rated for Outdoor Use							
A5	CABLING AND COMPLETION [ FOR ITEM A4]							
	Cat 6 UTP Network Cabling	Lot	1					

Simpang 69-18, Jalan E-Kerajaan, Gadong BE1110, Brunei Darussalam

Department/References: EGNC/PM/4.2/2017.039 (Tel) 2424955 (Fax) 2424940 (Email) procurement@egc.gov.bn

Item	Description	Unit	Qty	Please sp	pecify contents of the proposed item/sectotion	Unit Price (BND)	Total Cost (BND)	Department / References
	Category 6 Unshielded Twisted Pair (UTP) Cable-LSOH Cat.6, must be of a standard cable for internal cabling. Any external cabling connecting building to building; must use Cat6 Armoured Draka Shielded and all cable routes must be protected against altercation by using PVC Tubing end to end. Category 6 cables must be manufactured and tested to the Category 6 performance standards defined by the EIA/TIA, ISO and EN standards bodies.			y/n				
	Cable must consist of 8 colours coded 23AWG polyethylene insulated conductors. Must be twisted together to form 4 pairs. These pairs must be formed around a central 'X' shaped polyethylene filler.			y/n				
	For the connection of hub or switches, the cables shall not exceed 100m. To extend the length of cables another switch or hub shall be used or fibre optics.			y/n				
	PVC Conduit of medium grade with 20 mm diameter will be used for laying Cables / Power cables. Cabling must comply with FIRE rating of the cable sheath. In many locations, any cable must be certified as "CM rated" can be put through walls, cable must be certified as "CMR rated" can be put up through risers, cable certified as "CMP rated" can be put through or air plenums without using conduit.			y/n				
	Specification:							
	<ul> <li>23 AWG Annealed bare solid copper, CAT-6 UTP Cable, Channel optimized to 350 Mhz.</li> </ul>							
	<ul> <li>Meets EIA/TIA 568-B.2-1 Category 6 specifications, Passed UL 444 test and meets CM and CMR ratings.</li> </ul>			,				
	Worst Case Cable Skew: 45 sec/100 meters.			y/n				
	<ul> <li>Characteristic Impendence: 100(+/- 3) Ohms 500MHz, Tested till 700 Mhz.</li> </ul>							
	Conductor Annealed copper wire Diameter 0.52 mm.							

Simpang 69-18, Jalan E-Kerajaan, Gadong BE1110, Brunei Darussalam

Department/References: EGNC/PM/4.2/2017.039 (Tel) 2424955 (Fax) 2424940 (Email) procurement@egc.gov.bn

ltem	Description	Unit	Qty	Please sp	pecify contents of the proposed item	n/sectotion	Unit Price (BND)	Total Cost (BND)	Department / References
<b>A</b> 6	Warranty [please specify]:								
	Note: The Vendor MUST submit THE FOLLOWING DOCUMENTARY EVIDENCE in support of their claim for fulfilling the criteria and meet the Technical Specifications as stipulated:								
	1. AITI Certification.								
1	2. Training Certification.								
	3. Manufacturer's CCTV authorization support letter, in original, on the OEM's letter head.								
	4. Detailed network architecture at component level indicating cable type, etc.								
	5. Gantt chart indicating all activities and duration.								
	6. Storage Calculations and Bandwidth.								
					тот	AL COST :			
	Please Also Observe The Following:	Ackno	wledge	ment:		Compai			
	<ul> <li>a. Any vendors that have not completed or properly filling in the form will not be entertained.</li> <li>b. Vendors are welcome / recommended to see the site</li> <li>c. Please provide product brochures</li> <li>d. Quotation Validity: 6 months or above</li> </ul>	I hereb Signati	Company Ref. No.:						
	ISSUE QUOTATION: 26 July 2017 CLOSE QUOTATION: 08 Ogos 2017 (2.00 PM)	Date :							

#### **SURAT PENGESAHAN PEMBEKALAN**

Kepada : Pengerusi Jawatankuasa Perolehan, Pusat Kebangsaan E-Kerajaan, Jabatan Perdana Menteri, Spg 69-18, Jalan E-Kerajaan Jalan Gadong BE1110, Negara Brunei Darussalam.

#### SEBUTHARGA BILANGAN: EGNC/PM/4.2/2017.039

Sehubungan dengan sebutharga di atas yang Syarikat kami turut serta, Syarikat kami bersetuju dengan syarat-syarat dibawah :

- 1. Jika sekiranya Syarikat kami berjaya dalam sebutharga ini, Syarikat kami berjanji akan melaksanakan perkhidmatan mengikut syarat-syarat yang ditetapkan dalam Appendix 1 daripada tarikh 'Purchase Order (PO)' dikeluarkan.
- 2. Jika sekiranya Syarikat kami tidak dapat membuat perkhidmatan dalam tempoh 3 kali berturut-turut, Jabatan Pusat Kebangsaan E-Kerajaan berhak menamatkan kontrak ke Syarikat kami.
- 3. Syarikat kami bersedia menghadapkan lapuran status proses perkhidmatan berkenaan atau dokumen-dokumen yang berkaitan mengenainya ke Jabatan Pusat Kebangsaan E-Kerajaan.
- 4. Semua tuntutan pembayaran akan dikumpulkan dan dihadapkan ke Jabatan Pusat Kebangsaan E-Kerajaan pada setiap penghujung bulan dengan menyertakan dokumen-dokumen yang berkaitan.

Tandatangan, Nama & Jawatan

Cop Syarikat & Tarikh

### TERMS AND CONDITIONS OF QUOTATION REF. NO: EGNC/PM/4.2/2017.039

- 1.1 The Supplier is required to quote the proposed items (goods and services) which will best meet the requirement as per given in the enclosed Request for Quotation taking into consideration the following:
  - a. The use of correction fluid is not allowed in the Quotation
  - b. Any amendments made should be initialled with the supplier 's stamp
- 1.2 All prices are to be quoted inclusive of:
  - a. Duties where applicable
  - b. as "Ship To Location" indicated in the Request for Quotation.
  - c. minimum validity period of 24 weeks (6 months) from closing date of quotation.
  - d. **ex-stock or immediate** from date of issuance of indent.
- Quotation responses must be submitted at the Reception Counter of the 'E-GOVERNMENT NATIONAL CENTRE, PRIME MINISTER'S OFFICE, SIMPANG 69-18, JALAN E-KERAJAAN, GADONG 'using the Quotation Forms and any forms attached hereto enclosed in one envelope per quotation and addressed to:

Quotation Reference: EGNC/PM/4.2/2017.039

E-GOVERNMENT NATIONAL CENTRE
PRIME MINISTER'S OFFICE
SIMPANG 69-18, JALAN E-KERAJAAN,
GADONG BE1110
NEGARA BRUNEI DARUSSALAM
and marked "Quotation Closing Date, Tuesday 08th August 2017 (2.00PM)"

- 1.4 The E-Government National Centre hereafter referred to as the Customer has and reserves the right:
  - a. not to accept the lowest or any quotation
  - b. to accept any quotation in whole or in part
  - c. penalise and cancel any order or contract from/with the Supplier if the delivery, installation and commissioning schedule and other related terms and conditions are not met or adhered to by the Supplier.
- 1.5 The Supplier will agree to supply any additional quantities, perform any work and provide any materials and services necessary to successfully complete the installation, commissioning of the required items even if such items are not mentioned or are mis-stated in the Supplier's proposed solutions.
- 1.6 The Supplier must not make any public statement in relation to this quotation document or to the awarding of any consequent order for the supply of the required items.
- 1.7 Any clarification of the requirement can be requested not later than 1 (one) working day before the closing of the quotation submission, For any clarification please contact **Dyg Samiah at telephone number** *2424 955*.
- 1.8 The above terms and conditions are subject to review or revision whenever deemed necessary without prior written notice.
- 1.9 After\_the goods have been delivered, a copy of the Delivery Order is required to be faxed to 2424940 with attention to Procurement Section, E-Government National Centre.
- 1.10 If the Supplier does not hear from the Customer within 3 weeks from the date of quotation's closure, the Supplier's quotation is considered unsuccessful.

## PUSAT KEBANGSAAN E-KERAJAAN JABATAN PERDANA MENTERI

# VENDOR'S PARTICIPATION FORM FOR QUOTATION REF: EGNC/PM/4.2/2017.039

Tick (√) where appropriate:-  Quote  No Quote
Name :
Designation:
Date:
Company's chop:
NOTE:
This form (Appendix 4) must be signed and stamped by the vendor and submit to the reception counter of the 'E–GOVERNMENT NATIONAL CENTRE, PRIME MINISTER'S OFFICE, SIMPANG 69–18, JALAN E–KERAJAAN, GADONG BE1110' or fax to 2424940.
Your response is highly appreciated.

Pusat Kebangsaan E-Kerajaan Simpang 69-18 Jalan e-Kerajaan Gadong BE1110 Negara Brunei Darussalam

Tel: 2424955/6/7 ext 122 / Fax : 2424940